立式氣動電線剝皮機 桌面型剝線工具 AWG#18-32#適用

Model No. JW-ST04



SPECIFICATIONS

適用線徑	AWG#18-32#
控制方式	氣動控制
氣缸設計	雙移動氣缸
潤滑系統	油氣自供氣瓶
適用線材	AC/DC電源線、護套線、電腦線、電子線
設計特點	立式設計、滑座穩定、往復行程準確

立式氣動剝線機， 剝線扭線機， 氣動剝線扭線機， 平行絞線機立式氣動剝線機， 剝線扭線機， 氣動剝線扭線設備， 平行絞線機

AC/DC、電源線、護套線、電腦線和電子線剝線的氣動電氣剝線機。這台機器採用氣動控制，這是一種改進的航空航天靈感設計。它很先進，適用於直徑範圍為 AWG#18 - 32# 的電線。它配備了一個雙移動氣缸，消除了彈簧斷裂的問題。

兩個油氣自供氣瓶確保氣缸的定期潤滑，減少內部磨損並延長使用壽命。

它具有獨特的滑座，確保穩定的往復行程、準確的切割和剝離作。

採用氣動控制，重量輕、靈活、作方便。

該結構允許調試和調整線材 - 在視線範圍內處理厚度。

本機適用於加工各種尺寸、長度和類型的電線，包括 AC/DC 電線、電源線、護套線、計算機線、電子線、多芯線、電纜和扁線。
適用於加工大小線和長短線。如AC/DC、電源線、護套線、計算機線、電子線、多芯線、電纜、扁線等;


3F pneumatic
peeling machine
Multiple simultaneous stripping
and twisting

Vertical peeling machine

Three-cylinder structure clamping line, stripping is completed at one time




Two-pole design

Three-cylinder structure clamping line, stripping is completed at one time



Processing sample display

This machine is mainly used for stripping (cutting) the tails of multi-core computer cables, telephone cables, parallel cables and power cables. It is easy to operate and has a wide range of uses.



Product parameter

3F peeling machine

Specially designed for electronic stripping of small wires, exquisite design, compact, easy to operate, multiple simultaneous stripping functions double the work efficiency



Product number	WPM-3F
product name	3F pneumatic peeling machine
specification	330*190*270mm
weight	12KG
power supply	AC110V/220V
Air pressure	3-7kg
Stripping diameter	32#-16#
Stripping length	25mm

3FN peeling machine

Thin to medium thick computer core wire, telephone wire, power cord, etc. tail stripping and twisting， Peeling, twisting, one-time completion, high efficiency and stability



Product number	WPM-3FN
product name	3FN pneumatic peeling machine
specification	330*240*290mm
weight	13KG
power supply	AC110V/220V
Air pressure	3-7kg
Stripping diameter	32#-18#
Stripping length	3-25mm

3FN (delayed) peeling machine

Thin to medium thick computer core wire, telephone wire, power cord, etc. tail stripping and twisting

Peeling, twisting, one-time completion, high efficiency and stability



Product number	WPM-3FN delay
product name	3FN pneumatic peeling machine
specification	330*240*290mm
weight	13KG
power supply	AC110V/220V
Air pressure	3-7kg
Stripping diameter	32#-18#
Stripping length	3-25mm

4F peeling machine

Specially designed for small-line electronic peeling, exquisite design, compact and easy to operate, Multiple simultaneous stripping functions double the work efficiency



Product number	WPM-4F
product name	4F pneumatic peeling machine
specification	330*240*330mm
weight	15KG
power supply	AC110V/220V
Air pressure	3-7kg
Stripping diameter	32#-14#
Stripping length	25mm

4FN peeling machine


Thin to medium thick computer core wire, telephone wire, power cord, etc. tail stripping and twisting, Peeling, twisting, one-time completion, high efficiency and stability



Product number	WPM-4FN
product name	4FN pneumatic peeling machine
specification	330*400*345mm
weight	14KG
power supply	AC110V/220V
Air pressure	3-7kg
Stripping diameter	32#-18#
Stripping length	3-25mm


4FN (delayed peeling) machine

Thin to medium thick computer core wire, telephone wire, power cord, etc. tail stripping and twisting, Peeling, twisting, one-time completion, high efficiency and stability



Product number	WPM-4FN delay
product name	4FN pneumatic peeling machine
specification	330*190*345mm
weight	14KG
power supply	AC110V/220V
Air pressure	3-7kg
Stripping diameter	32#-18#
Stripping length	4-20mm

Product analysis



Random Accessories



接气管1个




脚踏板1个



内六角扳手1套

Product details




Premium blade

Using high-quality wear-resistant blades, durable and long-lasting sharpness

Auxiliary cylinder

The length of the stripping wire is controlled by the valve on the cylinder and the left and right twisting regulating valve to control whether the stripping wire is available Wound core wire






Pneumatic control

Pneumatic-electric control, improved model, advanced design, applicable wire warp AWG#18-32

Master cylinder


The length of the core wire is controlled by the nut behind the cylinder and the left and right screw nut to control the length of the core wire



Products Spotlight









FAQ

JINGWEI 垂直氣動剝線機的主要優點是什麼?

JINGWEI 垂直氣動剝線機為工業線束製造提供高效率、耐用性和精確度。其氣動操作確保一致且強力的剝線動作，同時最大程度減少操作員疲勞。台式設計節省空間，同時提供穩固性能，使其成為來自中國領先製造商的可靠且經濟高效的線材處理解決方案。

這款氣動剝線機可以處理哪些類型的電線或電纜?

這款垂直氣動剝線機設計用於處理工業應用中常見的多種電線類型和規格，包括單芯和多芯電纜。關於與您的線徑、絕緣材料和剝線長度要求的具體兼容性，我們建議查閱技術規格或直接聯繫 JINGWEI 以獲取個性化配置建議。

氣動（氣動）系統如何有益於剝線過程?

氣動系統為剝線刀片提供清潔、可靠且強勁的動力。這使得切割精確、乾淨，不損壞導體，在大批量生產中具有出色的重複性，並且與某些電動型號相比減少了維護需求。它還允許快速調整剝線壓力以適應不同的電線類型，從而增強多功能性和處理質量。

JINGWEI 台式剝線機是否易於設置和操作?

是的，該機器設計為用戶友好型操作。其垂直台式設計便於整合到任何車間或生產線中。設置通常包括連接到標準壓縮空氣供應，並對線徑和剝線長度進行簡單調整。直觀的控制和耐用的結構確保了新用戶的簡單操作以及連續工業使用的長期可靠性。

作為中國的製造商，JINGWEI 為這款線材處理機提供哪些支援?

JINGWEI 作為專業製造商，提供全面的支援，包括詳細的技術文件、操作員指導和易於獲取的備件。我們確保一致的質量控制，並提供可靠的售後服務。關於價格、定制、運輸或技術支援的具體查詢，我們鼓勵您直接聯繫我們，討論您的項目需求以及我們的全球供應能力。